EXHIBIT 1

April 25, 2012

SUBJ: STATUS REPORT - Elm Coulee EOR Feasibility Study

Presented to: Montana Board of Oil and Gas Conservation

Presented by: Principal Investigators - John Evans, Leo Heath, Burt Todd Montana Tech Petroleum Engineering

The study has been underway since early 2012. The following tasks are being performed:

- Compiling Field Data
 - Utilizing MBOG file records (3 students employed for data entry)
 - Building an MS-Access database (with help from a DB class project)
 - Ability to sort and query all data for wells, completions, and production
- 2. Geologic Model
 - Compiled available vertical interval well logs
 - Choose and correlate relevant formation tops (upper, middle, lower Bakken)
 - Preparing geologic maps: structure, interval thicknesses
 - Defining net pay parameters
 - Combining into initial geologic model of field area
- 3. Operator Visits
 - 9 major operators in field, 18 total well operators
 - Making reservoir engineering and geologic contacts
 - Planning company visits to copy relevant data
- 4. Summer Work Schedule
 - Expanded work schedule after spring classes
 - Expect decisive work on geologic model feeding into reservoir model
- 5. Detailed Annual Report
 - Present to Board in November, 2012

Montana Board of Oil and Gas Conservation

Scope of Work

Development of Procedures Manuals and a Field Inspection System

DNRC MOU 128220 Montana Tech of the University of Montana

Concerns from the Audit

- 1. Inspection procedures, documentation and risk prioritization (Recommendations 1, 2, 3)
- 2. Timelines and guidelines for policy enforcement and corrective actions (Recommendation 4)
- 3. BOGC compliance with State of Montana IT policies (Recommendations 5, 6 and 7)

Proposed - Two-Phase Project

- Phase 1 Develop scope-of-work
 - Review pertinent documents
 - Existing procedures documentation, forms
 - Report from the Legislative Audit Committee
 - EPA UIC manual
 - Applicable Montana Regulations
 - Write specifications
 - Recommended deliverables
 - Estimate of effort
 - Draft of RFQ
- Phase 2 Implement

Scoping Team

- Dr. Frank Ackerman
 Computer Science and Software Engineering
- Dr. Merle Benedict
 Safety, Health and Industrial Hygiene
- Dr. Bill Drury Environmental Engineering
- Kay Eccleston, MS
 Technical Communication
- Dr. Celia Schahczenski Computer Science
- John Getty, MS
 Petroleum Engineering

Methods

- Review of current BOGC documents
- Ride along Field Supervisor Gary Klotz
- Conference calls BOGC personnel
- · Private interviews Field inspection personnel
- Discussions with Lisa Blanford LAD
- Contact with players in enforcement and inspection
 - Texas
 - Colorado
 - North Dakota
 - Ground Water Protection Council


Ride along with Field Supervisor


Accompany


Gary Klotz

on several different types of field inspections 16 Feb 2012











Montana Tech Scoping Team Observations on the Current Process

- Data is recorded three (or more) times
- No formal written procedures
- No formal policy on inspection priorities
- Dependent on informal, on-the-job training
 Compounded by imminent retirement(s)
- Data is not readily accessible on the web
- Satisfying LAD recommendations is not trivial and will require significant investment

Recommendations for Addressing LAD Concerns

Two principle approaches for Phase II were considered by the Montana Tech team:

- 1. Develop Field Inspection Procedures Manual
- 2. Develop Computerized Inspection System

13


Field Inspection Procedures Manual

- Provides a reference for inspectors
- Provides the foundation for a training program
- Provides research and rational for computer system
- Two main outputs
 - Field Inspection Procedures Manual
 - Concurrent Concept of Operations documentation for software

Computerized Inspection System

- Eliminates need to develop and maintain a paper procedures manual
- Guides inspectors through the process, reducing errors, improving consistency and compensating for longevity/field experience
- Can assist in selection of wells to be inspected, mitigates enforcement follow-up issues
- Reduces redundant handling of data
- Can automatically notify the operator of violations
- Method is well developed, deployed in several states

15



Interim Conclusions

- Development of a Field Inspection Manual will address many of the LAD issues. However, it will require additional/new processes e.g. to ensure enforcement follow up and consistent spill reporting
- Several advantages flow from a Computerized Inspection System
 - Improved efficiency
 - Reduced cost
 - Simplified deployment of data to the web
 - Speeds generation of performance metrics

7





Board of Oil and Gas Conservation

Montana Tech

18

Total Funds	Total	1400 1600 2100 2200 2300 2400 2500 2600 2700 2800 3100	Obj. 10, 111,	
State Special Federal unds	NG			
1,819,114 1,819,114	1,832,850	531,225 53,019 39,482 32,082 17,789 11,908 9,722 28,857 35,575	17.0 (2,133) 1,075,334	2012 Regulatory Budget
834,457 834,457	834,457	76,360 37,629 42,380 22,809 12,248 12,161 11,104 28,221	587,601 3,944	Expends
0.46	0.46	0.14 0.71 1.07 0.71 1.07 0.71 0.69 1.02 1.02 1.14	0.55	Expends % of Budget
256,209 107,551 363,760	363,760	61,518 (9,884) 66,135 9,526 7,228 6,612 2,353 2,464 16,909 12,500	3.5	2012 UIC Budget
175,977 27,750 203,727	203,727	37,883 9,481 7,394 5,639 3,928 2,627 2,614 2,700 5,162	125,923	Expends
0.69	0.56	0.14 0.78 0.78 0.59 1.12 1.06 0.93	0.89	Expends % of Budget
1,500,000	1,500,000	1,500,000		Expends 2012 % of Education Budget Outreach
3,658	3,658	3,658		Expends
0	0.002	0.002		Expends % of Budget
	250,000	250,000		2012 EPA CO2 Primacy
				Expends
				Expends & of Budget
3,839,059 107,551	3,946,610	1,322,355 (9,884) 2,347,360 62,546 48,710 38,704 20,122 14,372 12,618 45,766	20.5	2012 TOTAL BUDGET
1,014,092 27,750	1,041,842	755,727 85,840 45,023 48,019 26,737 14,875 13,804 33,383	!	2012 TOTAL
0.26	0.26	7 0.57 0.04 0.72 1.03 0.69 0.74 1.03 1.03	buger	Expends % of

122,991 (1,250) 121,741

191,319

FY 11 Carryforward Org 2021 FINANCIAL STATEMENT
As of 03/31/2012
Percent of Year Elapsed: 75

	FY12	FY11	Percentage FY11 FY12:FY11	
Oil Production Tax Gas Production Tax Drilling Permit Fees UIC Permit Fees Enhanced Recovery Filing Fee Interest on Investments	1,415,092 180,620 47,150 219,200	1,562,946 265,464 54,300 208,650	0.91 0.68	
Insurance Proceeds Accomodations Tax Rebate Copies of Documents Wiscellaneous Reimbursemts	9,423 5,500 246	40,332 - 491 7,496 25,300	0.23	
TOTALS	\$ 1,877,231 \$	2,164,979	0.87	

REVENUE INTO DAMAGE MITIGAT	TION ACCOUNT as of 3/31/12
Transfer in free O. I	FY11
Transfer in from Orphan Share	0
RIT Interest	0
Bond Forfeitures	0
Reimburse for Fencing (Segelman)	2,800
Interest on Investments	620
TOTAL	\$ 3,420

REVENUE INTO GENERAL FUND FRO		
Brandon Oil	FY12	
Kelly Oil & Gas LLC	20	
Hofland, James D	10	
Hofland, James D	20	
Slohcin Inc.	80	
Slawson Exploration Co	10	
McOil Montana One LLC	5,000	
Misc. Oil Co	120	
	10·	
Phoenix Energy Inc.	90	
Mountain Pacific General	4,900	
Justice Oilfield Water Service Inc	20	
Valerie Wadman (Frank Miller)	10	
ECA Holdings LP	10	
Coalridge Disposal & Petroleum	10	
SBG Sheridan Facility	1,000	
Southside Oil & Gas LTD	40	
Hawley Oil	340	
Native American Energy Group	100	
Grey Wolf Production Company	50	
August Energy Services LLC (Jake Oi	30	
Grey Wolf Production Company	50	
Phoenix Energy Inc.	90	
Mountain Pacific General Inc	1,040	
Lyon Oil	120	
Bensun Energy	5,000	
August Energy Services LLC (Jake Oi	1,100	
Frank Baxter	5,000	
Brandon Oil	70	
R.F. Parsell Partnership	60	
JH Oil Co	80	
James D. Hofland	130	
Quinque Oil	80	
Harry Knaup	70	
Roland Oil & Gas	1 =	
Bensun Energy LLC	30	
Slochcin Inc	60	
Refund Frank Baxter	70 (5.000)	
CA Holdings LP	(5,000)	
SW Shay	60	
lawley Oil	70	
ack Grynberg	300	
cut Bank Gas	70	
&B Well Service (Poor Boy Oil)	100	
	2,500	
OTAL ¢		
STAL \$	23,020	

BOND FORFEITURES AS OF 3/31/12 Go into Damage Mitigation Account		
North American Technical Trading Compan MSC Exploration	0 _	60,000 10,000
TOTAL		70,000

INVESTMENT ACCOUNT BALAI	NCES 3/31/12
Oil & Gas ERA	3,403,726
Damage Mitigation	377,487

GRANT BALANCES - 4/24/12			
<u>Name</u>	<u>Authorized Amt</u>	<u>Expended</u>	<u>Balance</u>
2009 Northern 2009 Southern 2007 Tank Battery 2011Southern - TankBattery2	300,000 300,000 304,847 204,951	0 0 166,048 0	300,000 300,000 138,799 204,951
TOTALS	\$1,109,798	\$166,048	\$738,799

CONTRACT BALANCES - 4/24/12			
2012 Teachers Workshop EOR Study - MT Tech Scope of Work - MT Tech Automated Maintenance Services, Inc. Agency Legal Services - Legal Central Avenue Mall Liquid Gold Well Service, Inc 09 Northern Liquid Gold Well Service, Inc 09 Southern C-Brewer - 07 & 11 Southern Tank Battery	43,000 179,091 6,250 27,458 60,000 400 165,000 165,000 424,650	4,944 715 13,168 23,574 400 0 0 166,048	43,000 174,147 5,535 14,290 36,426 0 165,000 258,602
	1,070,849	208,849	862,000

Agency Legal Services Expenditure	es in FY12	
Case		
BOGC Duties	Amt Spent 23,574	Last Svc Date 03/12
Total		
	23,574	

Montana Board of Oil and Gas Conservation Summary of Bond Activity

3/6/2012 Through 4/23/2012

Approved

	40E T4		
	425 T1	Approved	3/22/20
		Amount:	\$10,000.0
		Purpose:	UIC Single Well Bo
\$10,000.00	RLI INSURANCE COMPANY		0.1
	708 U1	Approved	
			3/27/20
			\$50,000.00
\$50,000.00	Lexon Insurance Company	r dipose.	UIC Blanket Bor
		* SEASON,	
	703 G1	Approved	4/5/201
		Amount:	\$5,000.00
		Purpose:	Single Well Bor
\$5,000.00	Wells Fargo Bank, NA		3-2 - 1 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3
	1445 M1	Annuard	
			4/3/201
			\$50,000.00
\$50.000 00	TRAVELEDS CACUALTICS		Multiple Well Bon
0,000.00		O, HARTFORD	
	6980 T4	Approved	4/9/201:
			100 100 100 100 100 100
			\$10,000.00
\$10,000.00	American Safety Casualty Insurance Cor		UIC Single Well Bond
		прапу	74.1.6
	002 G2	Approved	3/26/2012
		Amount:	\$10,000.00
040.000		Purpose:	Single Well Bond
\$10,000.00	Wells Fargo Bank Montana		0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	6 11	Released	4/5/2012
		Amount:	\$20,000.00
		Purpose:	UIC Single Well Bond
\$20,000.00	U.S. Specialty Insurance Co.		o onigic well bond
	101		4/12/2012
		Amount:	\$50,000.00
\$50,000.00	04550	Purpose:	Multiple Well Bond
ar: 20 000 (10)	SAFECO INCLIDANCE OF ALL		
	SAFECO INSURANCE CO.OF AMERICA		
\$50,000.00	Argonaut Insurance Company		
	Argonaut Insurance Company 251 M1		
	Argonaut Insurance Company	Released	4/4/2012
	Argonaut Insurance Company	Released Amount:	\$50,000.00
	Argonaut Insurance Company 251 M1	Released	
\$50,000.00 \$50,000.00	Argonaut Insurance Company 251 M1 Arvest Bank	Released Amount:	\$50,000.00
\$50,000.00 \$50,000.00	Argonaut Insurance Company 251 M1	Released Amount:	\$50,000.00 Multiple Well Bond
\$50,000.00 \$50,000.00	Argonaut Insurance Company 251 M1 Arvest Bank	Released Amount: Purpose:	\$50,000.00 Multiple Well Bond
\$50,000.00 \$50,000.00	Argonaut Insurance Company 251 M1 Arvest Bank	Released Amount: Purpose:	\$50,000.00 Multiple Well Bond
	\$50,000.00 \$5,000.00 \$50,000.00 \$10,000.00 \$20,000.00	\$50,000.00 Lexon Insurance Company 709 G1 \$5,000.00 Wells Fargo Bank, NA 1445 M1 \$50,000.00 TRAVELERS CASUALTY & SURETY C 6980 T4 \$10,000.00 American Safety Casualty Insurance Cor 682 G2 \$10,000.00 Wells Fargo Bank Montana 6 T1	\$10,000.00 RLI INSURANCE COMPANY 708 U1 Approved Amount: Purpose: \$50,000.00 Lexon Insurance Company 709 G1 Approved Amount: Purpose: \$5,000.00 Wells Fargo Bank, NA 1445 M1 Approved Amount: Purpose: \$50,000.00 TRAVELERS CASUALTY & SURETY CO, HARTFORD 6980 T4 Approved Amount: Purpose: \$10,000.00 American Safety Casualty Insurance Company 682 G2 Approved Amount: Purpose: \$10,000.00 Wells Fargo Bank Montana 6 T1 Released Amount: Purpose: \$20,000.00 U.S. Specialty Insurance Co. \$20,000.00 Released Amount: Purpose:

Montana Board of Oil and Gas Conservation Summary of Bond Activity

3/6/2012 Through 4/23/2012

Released

L.S. Farms, Inc. Oilmont MT		394 D1	Released Amount:	4/5/2012 \$5,000.00
Certificate of Deposit	\$5,000.00	HERITAGE BANK - CHESTER	Purpose:	Domestic Well Bond
Northern Oil Production, Inc. Bozeman MT		5421 T4	Released Amount: Purpose:	4/12/2012 \$10,000.00 UIC Single Well Bond
Certificate of Deposit	\$10,000.00	FIRST INTERSTATE BANK		oro origie well Bollo
Rooney Operating Co. Englewood CO		68 M1	Released Amount: Purpose:	4/16/2012 \$25,000.00 Multiple Well Bond
Surety Bond	\$25,000.00	NATIONAL UNION FIRE INS. CO.	,	manaple Well Bolld
Rooney Operating Co. Englewood CO Surety Bond	\$5,000.00	68 G1	Released Amount: Purpose:	4/16/2012 \$5,000.00 Single Well Bond
Woods Land Company, LLC Billings MT	7-1,000.00	NATIONAL UNION FIRE INS. OF PA 584 M1	Released	3/30/2012
Certificate of Deposit	\$50,000.00	FIRST INTERSTATE BANK	Amount: Purpose:	\$50,000.00 Multiple Well Bond

Docket Summary

? Protest ?	Default	Temporary spacing unit, Bakken/Three Forks Formation, 22N-56E-14: all, 23: all, 200' heel/toe, 1320' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request.	Fidelity Exploration & Production Co.	145-2012
	Default	Temporary spacing unit, Bakken/Three Forks Formation, 21N-58E-30: all, 31: all, 200' heel/toe, 1320' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request.	Fidelity Exploration & Production Co.	
	Default	Temporary spacing unit, Bakken/Three Forks Formation, 21N-58E-29: all, 32: all, 200' heel/toe, 1320' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request.	Fidelity Exploration & Production Co.	
	Default	Temporary spacing unit, Bakken/Three Forks Formation, 21N-58E-28: all, 33: all, 200' heel/toe, 1320' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request.	Fidelity Exploration & Production Co.	
	Default	Temporary spacing unit, Bakken/Three Forks Formation, 21N-58E-18: all, 19: all, 200' heel/toe, 1320' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request.	Fidelity Exploration & Production Co.	
	Default	Temporary spacing unit, Bakken/Three Forks Formation, 21N-57E-14: all, 23: all, 200' heel/toe, 1320' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request.	Fidelity Exploration & Production Co.	140-2012
	Default	Temporary spacing unit, Bakken/Three Forks Formation, 21N-57E-13: all, 24: all, 200' heel/toe, 1320' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request.	Fidelity Exploration & Production Co.	139-2012
	- Default	Temporary spacing unit, Bakken/Three Forks Formation, 21N-57E-6: all, 7: all, 200' heel/toe, 1320' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request	Fidelity Exploration & Production Co.	138-2012
	- Default		Fidelity Exploration & Production Co.	137-2012
	- Default	Temporary spacing unit, Bakken/Three Forks Formation, 21N-57E-4: all, 9: all, 200' heel/toe, 1320' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request.	Fidelity Exploration & Production Co.	136-2012
	- Default		Fidelity Exploration & Production Co.	135-2012
	- Default	Temporary spacing unit, Bakken/Three Forks Formation, 21N-57E-2: all, 11: all, 200' heel/toe, 1320' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request.	Fidelity Exploration & Production Co.	134-2012
	Default	Temporary spacing unit, Heath Formation, 12N-32E-14: all, 330' setback. Apply for permanent spacing within 90 days of completion. Default request.	Fidelity Exploration & Production Co.	133-2012
	Default	Temporary spacing unit, Heath Formation, 12N-32E-8: all, 330' setback. Apply for permanent spacing within 90 days of completion. Default request.	Fidelity Exploration & Production Co.	132-2012
	Default	Temporary spacing unit, Heath Formation, 12N-31E-13: all, 330' setback. Apply for permanent spacing within 90 days of completion. Default request.	Fidelity Exploration & Production Co.	131-2012
			The second secon	

159-2012	158-2012	157-2012	156-2012	155-2012	154-2012	153-2012	102-2012	152 2012	151 2012	150 2012	148-2012	7107-741	146-2012
EOG Resources, Inc.	EOG Resources, Inc.	EOG Resources, Inc.	EOG Resources, Inc.	EOG Resources, Inc.	EOG Resources, Inc.	EOG Resources, Inc.	EOG Resources, Inc.	Co. Production & Production	Co.	Co.		Co.	
Permanent spacing unit, Bakken/Three Forks Formation, 28N-59E- Continued 25: all, 26: all (Stateline 4-2625H).	Permanent spacing unit, Bakken/Three Forks Formation, 28N-59E- Continued 23: all, 24: all (Stateline 1-2423H).	Permanent spacing unit, Bakken/Three Forks Formation, 28N-59E- Continued 16: all, 21: all (Stateline 7-2116).	Permanent spacing unit, Bakken/Three Forks Formation, 28N-59E- Continued 15: all, 22: all (Stateline 3-1522H).	Permanent spacing unit, Bakken/Three Forks Formation, 28N-59E- Continued 13: all, 14: all (Stateline 11-1314H).	Permanent spacing unit, Bakken/Three Forks Formation, 28N-59E- Continued 11: all, 12: all (Stateline 10-1221H).	Permanent spacing unit, Bakken/Three Forks Formation, 28N-59E- Continued 3: all, 10: all (Stateline 5-1003H).	Permanent spacing unit, Bakken/Three Forks Formation, 28N-59E- Continued 1: all, 2: all (Stateline 9-0201H).	Temporary spacing unit, Bakken/Three Forks Formation, 22N-57E- Default 30: all, 31: all, 200' heel/toe, 1320' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request.	Temporary spacing unit, Bakken/Three Forks Formation, 22N-57E- Default 28: all, 33: all, 200' heel/toe, 1320' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request.	Temporary spacing unit, Bakken/Three Forks Formation, 22N-57E- Default 27: all, 34: all, 200' heel/toe, 1320' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request.	Temporary spacing unit, Bakken/Three Forks Formation, 22N-57E- Default 26: all, 35: all, 200' heel/toe, 1320' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request.	Temporary spacing unit, Bakken/Three Forks Formation, 22N-57E- Default 7: all, 18: all, 200' heel/toe, 1320' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request.	Temporary spacing unit, Bakken/Three Forks Formation, 22N-56E- Default 26: all, 35: all, 200' heel/toe, 1320' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request
Request to continue to June recd 4/15/2012. TSU by Order 82-2010; setback amendment by Order 231-2011.	Request to continue to June recd 4/15/2012. TSU by Order 81-2010.	Request to continue to June recd 4/15/2012. TSU by Order 80-2010.	Request to continue to June recd 4/15/2012. TSU by Order 79-2010.	Request to continue to June recd 4/15/2012. TSU by Order 78-2010.	Request to continue to June recd 4/15/2012. TSU by Order 77-2010.	Request to continue to June recd 4/15/2012. TSU by Order 76-2010.	TSU by Order 75-2010; setback amendment by 230-2011.		? Protest ?		? Protest ?	660' setback to north - Petro-Hunt (verbal indication of support).	

Request to continue to June recd 4/15/2012.

	[163-2012]		26N-53E-8: all, 17: all (Slocum 1-8H). Non-consent penalties requested.		
	[162-2012]		25N-55E-4: all, 9: all (Jane 1-4H). Non-consent penalties requested.	Continental Resources Inc	171-2012
	Pooling and additional wells requested under Dockets 175 and 184-2012 respectively.		Pool permanent spocks up # Dokks-Tr	Continental Resources Inc	170-2012
	TSU by Order 73-2010; setback amendment by 294-2011.		r enmanent spacing unit, Bakken/Three Forks Formation, 26N-55E-28: all, 33: all (Calvin 1-33H).		
	Pooling and additional wells requested under Dockets 174 and 183-2012 respectively.			Continental Resources Inc	169-2012
	TSU by Order 128-2011.	×	Permanent spacing unit, Bakken/Three Forks Formation, 26N-55E-18: all, 19: all (Peterson 1-18H).	Continental Resources Inc	100-2012
	Additional wells and pooling requested in Dockets 173 and 182-2011.			Continued	168-2012
	Overlapping TSU by Order 200-2010, setback amendment by Order 166-2011.		Formation, 26N-54E-21: all, 28: all (Duane 2-28H).		
	Pooling and additional wells requested under Dockets 172 and 181-2012.		Overlanning normanent specific unit Dalling	Continental Resources Inc	167-2012
	TSU by Order 205-2010, setback amendment by Order 166-2011.		Permanent spacing unit, Bakken/Three Forks Formation, 26N-54E-14: all, 23: all (Harold 1-14H).	Continental Resources Inc	166-2012
	Additional control				
	Additional wells requested in Docket 179-2012. TSU by Order 6-2009, setback amendment by 295-		Permanent spacing unit, Bakken/Three Forks Formation, 26N-54E- 13: all, 24: all (Ripley 1-24H).	Continental Resources Inc	165-2012
	TSU by Order 199-2010; setback amendment by Order 166-2011.		all.		
	Pooling, additional wells requested in Dockets 171 and 178-2012 respectively.	2	Permanent spacing unit Ballios The	Continental Resources Inc	164-2012
	TSU by Order 365-2011.		all.		
	Pooling and additional wells requested in Dockets 170, 177-2012 respectively.		Domana	Continental Resources Inc	163-2012
	TSU by Order 67-2010; setback amendment by 294-2011;		Permanent spacing unit, Bakken/ Three Forks, 25N-55E-4: all, 9: all.	Continuing Resources Inc	
	Toe/ heel offset sections not drilled.	Default	lemporary spacing unit, Bakken/ Three Forks, 25N-51E-24: all, 25: all; 1320' lateral and 200' toe and heel setbacks. Apply for permanent spacing within 90 days of successful completion.		162-2012
. 🗆	Burlington offset to north w/ 660' setback; Slawson (Docket 201-2012) to south with 200' requested.		Temporary spacing unit, Bakken/ Three Forks, 24N-52E-14: all, 23: all; 1320' lateral and 200' toe and heel setbacks. Apply for permanent spacing within 90 days of successful completion.		161-2012

186-2012	100-2012	184-2012	183-2012	182-2012	181-2012	180-2012	179-2012	170-2012	177-2012	176-2012	175-2012	1/4-2012	1/3-2012	172-2012
Cirque Resources LP	Continental Resources Inc	Continental Resources Inc	Continental Resources Inc	Continental Resources Inc	Continental Resources Inc	Continental Resources Inc	Continental Resources Inc	Continental Resources Inc	Continental Resources Inc	Continental Resources Inc	Continental Resources Inc	Continental Resources Inc	2 Continental Resources Inc	2 Continental Resources Inc
Temporary spacing unit, Heath and/or Bear Gulch, 10N-33E-5: all, De 330' setback. Apply for permanent spacing within 90 days of completion. Default request.	Amend Order 291-2008 and 156-2009 to allow 200' heel/toe and 500' lateral setback in temporary spacing unit comprised of 24N-52E-1: all, 12: all, Bakken/Three Forks Formation. Default request.	Exception to drill up to three additional wells, Bakken/Three Forks Formation, permanent spacing unit, 26N-55E-28: all, 33: all, 200' heel/toe, 500' lateral setbacks. Default request.	Exception to drill up to three additional wells, Bakken/Three Forks Formation, permanent spacing unit, 26N-55E-18: all, 19: all, 200' heel/toe, 500' lateral setbacks. Default request.	Exception to drill up to three additional wells, Bakken/Three Forks Formation, overlapping permanent spacing unit, 26N-54E-21: all, 28: all, 200' heel/toe, 500' lateral setbacks. Default request.	Exception to drill up to three additional wells, Bakken/Three Forks Formation, permanent spacing unit, 26N-54E-14: all, 23: all, 200' heel/toe, 500' lateral setbacks. Default request.	Exception to drill up to three additional wells, Bakken/Three Forks Formation, permanent spacing unit, 26N-54E-13: all, 24: all, 200' heel/toe, 500' lateral setbacks. Default request.	Exception to drill up to three additional wells, Bakken/Three Forks Formation, permanent spacing unit, 26N-54E-6: all, 7: all, 200' heel/toe, 500' lateral setbacks. Default request.	Exception to drill up to three additional wells, Bakken/Three Forks Formation, permanent spacing unit, 26N-53E-8: all, 17: all, 200' heel/toe, 500' lateral setbacks. Default request.	Exception to drill up to three additional wells, Bakken/Three Forks Formation, permanent spacing unit, 25N-55E-4: all, 9: all, 200' heel/toe, 500' lateral setbacks. Default request.	Exception to drill up to three additional wells, Bakken/Three Forks Formation, permanent spacing unit, 25N-55E-2: all, 11: all, 200' heel/toe, 500' lateral setbacks. Default request.	Pool, permanent spacing unit, Bakken/Three Forks Formation, 26N-55E-28: all, 33: all (Calvin 1-33H). Non-consent penalties requested.	Pool, permanent spacing unit, Bakken/Three Forks Formation, 26N-55E-18: all, 19: all (Peterson 1-18H). Non-consent penalties requested.	Pool, permanent spacing unit, Bakken/Three Forks Formation, 26N-54E-21: all, 28: all (Duane 2-28H). Non-consent penalties requested.	Pool, permanent spacing unit, Bakken/Three Forks Formation, 26N-54E-14: all, 23: all (Harold 1-14H). Non-consent penalties requested.
Default	8	÷ .					-	To.		Default				
	Burlington offsets (660') in all directions. Letter of support, Burlington.	[169-2012]	[168-2012]	[167-2012]	[166-2012]	[165-2012]	[164-2012]	[163-2012]	[162-2012]	PSU, pooling by Orders 435, 436-2011.	[169-2012]	[168-2012]	[167-2012]	[166-2012]

		200-2012 Slawson		198-2012 Slawson			194-2012 Slawson 195-2012 Slawson							
Glawsull Exploration Company Inc	Clawson Exploration Company Inc	Slawson Exploration Company Inc	Siawson Exploration Company Inc	Slawson Exploration Company Inc	Clawsul Exploration Company Inc	Charges Typication Company IIIC	Slawson Exploration Company Inc	Cirque Resources LP	Cirque Resources LP	Cirque Resources LP	Cirque Resources LP	Cirque Resources LP	Cirque Resources LP	Cirque Resources LP
Temporary spacing unit, Bakken/Three Forks Formations, 24N-52E-26: all, 200' heel/toe, 660' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request.	Temporary spacing unit, Bakken/Three Forks Formations, 24N-52E-22: all, 200' heel/toe, 660' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request.	Temporary spacing unit, Bakken/Three Forks Formations, 23N-54E-36: all, 200' heel/toe, 660' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request.	Temporary spacing unit, Bakken/Three Forks Formations, 23N-54E-25: all, 200' heel/toe, 660' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request.	Temporary spacing unit, Bakken/Three Forks Formations, 23N-53E-36: all, 200' heel/toe, 660' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request.	Temporary spacing unit, Bakken/Three Forks Formations, 23N-53E-14: all, 200' heel/toe, 660' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request.	remporary spacing unit, Bakken/Three Forks Formations, 21N-59E-21: all, 22: all, 200' heel/toe, 660' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request.	Temporary spacing unit, Bakken/Three Forks Formations, 21N-59E-14: all, 200' heel/toe TO SOUTH, 660' lateral (AND TO THE NORTH) setbacks. Apply for permanent spacing within 90 days of completion. Default request.	Permanent spacing unit, Heath Formation, 11N-32E-33: all (Rock Happy 33-3H).	Permanent spacing unit, Heath Formation, 11N-30E-31: all (Hit Parade 31-3H).	Temporary spacing unit, Heath and/or Bear Gulch, 12N-27E-21: all, 330' setback. Apply for permanent spacing within 90 days of completion. Default request.	Temporary spacing unit, Heath and/or Bear Gulch, 11N-29E-33: all, 330' setback. Apply for permanent spacing within 90 days of completion. Default request.	Temporary spacing unit, Heath and/or Bear Gulch, 11N-28E-36: all, 330' setback. Apply for permanent spacing within 90 days of completion. Default request.	Temporary spacing unit, Heath and/or Bear Gulch, 11N-28E-23: all, 330' setback. Apply for permanent spacing within 90 days of completion. Default request.	Temporary spacing unit, Heath and/or Bear Gulch, 11N-27E-8: all, 330' setback. Apply for permanent spacing within 90 days of completion. Default request.
Default	Default	Default	Continued	Withdrawn	Default	Default	Default			Withdrawn	Default	Default	Default	Default
		ı	NO EXHIBITS PROVIDED Verbal - continued to June, 4/20/2012	NO EXHIBITS PROVIDED Verbal - withdrawn 4/20/2012			AMEND APPLICATION - 660' SETBACK TO NORTH (BURLINGTON OFFSET), 200' TO SOUTH. Well permitted with 660' setback.	TSU by Order 88-2011.	Heath TSU by Order 86-2011; Bear Gulch by Order 60-2012.	[INCORRECT PUBLISHED COUNTY - PETROLEUM RATHER THAN MUSSELSHELL]				

	Withdrawn, FAX recd 4/24/2012.				
. <	500' lateral setbacks requested: [Previous orders - expiration in one year, return to 1320'/200'.]	Withdrawn	Amend Order 371-2011 to allow 200' heel/toe and 500' lateral setback in temporary spacing unit comprised of 26N-58E-27: all, 34: all, Bakken/Three Forks Formation. Apply for permanent spacing within 90 days of completion. Default request.	Whiting Oil and Gas Corporation	214-2012
<	expiration in one year, return to 1320/200'.	*	Amend Order 174-2011 to allow 200' heel/toe and 500' lateral setback in temporary spacing unit comprised of 25N-58E-3: all, 10: all, Bakken/Three Forks Formation. Apply for permanent spacing within 90 days of completion. Default request.	Whiting Oil and Gas Corporation	
<	500' lateral setback requested. [Previous orders - expiration in one year, return to 1320'/200'.]		Amend Order 93-2010 to allow 200' heel/toe and 500' lateral setback in temporary spacing unit comprised of 24N-58E-27: all, 34: all, Bakken/Three Forks Formation. Apply for permanent spacing within 90 days of completion. Default request.	Whiting Oil and Gas Corporation	
< <	500' lateral setback; [Previous orders - expiration in one year, return to 1320'/200'.]		Amend Order 151-2003 to allow 200' heel/toe and 500' lateral setback in temporary spacing unit comprised of 24N-58E-5; all, 8: all, Bakken/Three Forks Formation. Apply for permanent spacing within 90 days of completion. Default request.	Whiting Oil and Gas Corporation	
	PSU, pooling by Orders 141 & 142-2011.	2	Exception to drill up to three additional wells, Bakken/Three Forks Formation, permanent spacing unit, 25N-57E-25: all, 36: all, 200' heel/toe, 500' lateral setbacks. Default request.	Whiting Oil and Gas Corporation	
	[207-2012]		Exception to drill up to three additional wells, Bakken/Three Forks Formation, permanent spacing unit, 25N-57E-3: all, 10: all, 200' heel/toe, 500' lateral setbacks. Default request.	Whiting Oil and Gas Corporation	
	[207-2012]	6 g	Pool, permanent spacing unit, Bakken/Three Forks Formation, 25N-57E-3: all, 10: all (Barter 21-3H). Non-consent penalties requested.	wniting Oil and Gas Corporation	7107-007
1	TSU, Order 147-2010; pooling and addiitional wells requested in Dockets 208 and 209-2012.		Permanent spacing unit, Bakken/Three Forks Formation, 25N-57E-3: all, 10: all (Barter 21-3H).	willing Oil and Gas Corporation	202-2012
<	500' lateral setback. [Previous orders - expiration in one year, return to 1320'/200'.]		Temporary spacing unit, Bakken/Three Forks Formation, 26N-57E-26: all, 35: all, 200' heel/toe, 500' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request.	whiting Oil and Gas Corporation	207-2012
	500' lateral setback requested. [Previous orders - expiration in one year, return to 1320'/200'.]		Temporary spacing unit, Bakken/Three Forks Formation, 25N-57E-17: all, 20: all, 200' heel/toe, 500' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request.	willing Oil and Gas Corporation	206 2012
	AMENDED APPLICATION - 200' HEEL/TOE EXCEPT TO NORTH, 660' LATERAL AND TO NORTH. [660' offset to north - Newfield?]	Default	Exception to drill up to three additional wells, Bakken/Three Forks Formation, permanent spacing unit, 21N-59E-13: all, 200' SOUTH, 660' lateral AND NORTH setbacks. Default request.	Slawson Exploration Company Inc	204-2012
	AMENDED APPLICATION - 200' HEEL/TOE EXCEPT TO NORTH, 660' LATERAL AND TO NORTH.	Default	Exception to drill up to three additional wells, Bakken/Three Forks Formation, permanent spacing unit, 21N-59E-4; all, 200' SOUTN, 660' lateral LATERAL AND NORTH setbacks. Default request.	Slawson Exploration Company Inc	203-2012
		Default	Temporary spacing unit, Bakken/Three Forks Formations, 24N-52E-32: all, 200' heel/toe, 660' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request.	Slawson Exploration Company Inc	202-2012
		00000 (See 1990)		21	202_2012

setbacks for add permanent spac Default request.	229-2012 Oasis Petroleum, Inc. Perman 4-2012 F Amend		Oasis Petroleum, Inc.			224-2012 Cornerstone Natural Resources LLC T-	5		221-2012 Central Montana Resources, LLC T.	220-2012 B0H Inc.	219-2012 NOH Inc.	218-2012 BOH Inc.	217-2012 XTO Energy Inc.	- 1	215-20 12 Marathon Oil Company 24-2012:
setbacks for additional Bakken/Three Forks Formation well in permanent spacing unit, 27N-59E-13; all, 14; all, 23; all, 24; all. Default request.	permanent spacing unit comprised of 27N-59E-1: all, 2: all, 11: all, 12: all, 200' heel/toe, 500' lateral setbacks. Default request. Amend Order 317, 2014 a	Exception to drill an additional Bakken/Three Forks well in heel/toe, 500' lateral setbacks. Default request.	emporary spacing unit, Bakken/Three Forks Formations, 27N-59E-25: all, 26: all, 35: all, 36: all, 200' heel/toe, 1320' lateral completion.	emporary spacing unit, Bakken/Three Forks Formation, 36N-56E-29: all, 32: all, 200' heel/toe, 1320' lateral setbacks. Default	remporary spacing unit, Bakken/Three Forks Formation, 36N-56E-28: all, 33: all, 200' heel/toe, 1320' lateral setbacks. Default	6: all, 7: all, 200' heel/toe, 1320' lateral setbacks. Default request.	setback. Apply for permanent spacing within 90 days of completion. Default request.	setback. Apply for permanent spacing within 90 days of completion. Default request.	Class II water disposal permit, Amsden Formation, Kesterson 7 (API #087-21507), 10N-33E-34: 820 FNL/557 FEL (NE/4NE/4).	Class II water disposal permit, Amsden Formation, Kesterson 1 (API #087-05090), 10N-33E-34: 1980 FNL/1980 FWL (SE/4NW/4).	Class II water disposal permit, Amsden Formation, Kesterson 6 (API #087-21498), 10N-33E-34: 1952 FNL/1846 FEL (SW/4NE/4).	Permanent spacing unit, Bakken/Three Forks Formation, 23N-591: all, 12: all (Panasuk 34X-12).	Exception to drill, Madison Formation, 34N-3W-24: NW/4NE/4, well located 220' FNL/160' FEL of QQ (Potter 2-24C). Default	rermanent spacing unit, Bakken/Three Forks Formation, 31N-58E-2: all, 11: all (Wegner 34-11H).	
Default	Default	Default		- Default	Default	- Default	Default	Default	Default	Default 4).	Default	-58E-	Default	58E-	
PSU by Order 373-2011.	PSU by Order 58-2011.	CONFLICTS WITH SLAWSON DOCKET 314-2011 PSU by Order 237-2011.	? CONFLICTS WITH SLAWSON DOCKET 314- 2010 ?											TSU by Order 61-2011.	
					\Box	\Box	\Box	\Box					\Box		

	Temporary spacing by Order 167-2010. Ltr of protest received. [CONTINUE TO AUGUST.]	Continued	Permanent spacing, Heath Formation, 13N-28E-15: all (Shadowfax 1B).	Central Montana Resources, LLC	299-2011
	Continued, FAX recd 4/24/2012 ???		completion.		
<	CONFLICTS WITH OASIS DOCKET 226-2010.	Continued	Temporary spacing unit, Bakken Formation, 27N-59E-34: all, 35: all, 660' setback. Apply for permanent spacing within 90 days of	Slawson Exploration Company Inc	314-2010
			Temporary spacing unit, Bakken/Three Forks Formation, 35N-51E-35: all, 36: all, 660' setback. Apply for permanent spacing within 90 days of completion. Default request.	Sagebrush Resources II, LLC	241-2012
		Deladit	Bakken/Three Forks Formation, 360-54E-2: all and 360-54E-11: all, 660' setback. Apply for permanent spacing within 90 days of completion. Default request.		
			Vacate Order 163-2011. Two temporary spacing units	Shakespeare Oil Co Inc	240-2012
	[232 (SPACING) & 236-2012 (POOLING)]		Exception to drill up to four Bakken/Three Forks Formation wells in spacing unit comprised of 28N-58E-1: all, 12: all, 200' heel/toe, 500' lateral setbacks. Default request.	Brigham Oil & Gas LP	239-2012
	PSU by Order 42-2012; pooling requested in Docket 235-2012.		Vacate Order 475-2011. Exception to drill up to four Bakken/Three Forks Formation wells in spacing unit comprised of 26N-59E-6: all, 7: all, 200' heel/toe, 500' lateral setbacks. Default request.	вгgnam Oil & Gas LP	2102-022
	[231(SPACING) & 233-2012 (POOLING)] Continued, email recd 4/24/2012.	Continued	Vacate Order 424-2011. Exception to drill up to four Bakken/Three Forks Formation wells in spacing unit comprised of 25N-58E-15: all, 22: all, 200' heel/toe, 500' lateral setbacks. Default request.	Brigham Oil & Gas LP	237-2012
	PSU requested in 232-2012; additional wells in 239-2012.		Pool, permanent spacing unit, Bakken/Three Forks Formation, 28N-58E-1: all, 12: all (Crusch 12-1 #1H). Non-joinder penalties requested.	Brigham Oil & Gas LP	236-2012
	PSU by Order 42-2012; additional wells in Docket 238-2012.		Pool, permanent spacing unit, Bakken/Three Forks Formation, 26N-59E-6: all, 7: all (Storvik 7-6 #1H). Non-joinder penalties requested.	Brigham Oil & Gas LP	235-2012
	PSU by Order 338-2007; related Docket 230-2012.		Pool, permanent spacing unit, Bakken/Three Forks Formation, 25N-59E-11: all, 14: all (Voss 11-14 #2H). Non-joinder penalties requested.	brignam Oil & Gas LP	2102-462
	[231 AND 237-2012] Continued, email recd 4/24/2012	Continued	25N-58E-15: all, 22: all (Verrene 15-22 #1TFH). Non-joinder penalties requested.		22.
	TSU by 41-2010 as amended by 47-2011; related Dockets 236 (pooling) & 239-2012 (additional wells).		Permanent spacing unit, Bakken/Three Forks Formation, 28N-58E. 1: all, 12: all (Crusch 12-1 #1-H).	Brigham Oil & Gas LD	233-2012
	Continued, email recd 4/24/2012.			Brigham Oil & Gas I D	232-2012
	TSU by 187-2011; related Dockets 233 (pooling) & 237-2012 (additional wells).	Continued	Permanent spacing unit, Bakken/Three Forks Formation, 25N-58E-15: all, 22: all (Verrene 15-22 #1TFH).	Brigham Oil & Gas LP	231-2012
	Related Docket 234-2012.		Amend Order 338-2007 include the Three Forks Formation in permanent spacing unit comprised of 25N-59E-11: all, 14: all. (Voss 11-14 #2-H)		230-2012
				.	

	487-2011 Cer	П			429-2011 Br		427-2011 Br							
	Central Montana Resources, LLC	I riangle Petroleum Corporation	Brigham Oil & Gas LP	o	Brigham Oil & Gas LP	Cilia a Gas En	Brigham Oil & Gas LP	brignam Oil & Gas LP	Brigham Oil & Gas LP	brignam Oil & Gas LP	Brigham Oil & Gas LP	101 Operating	Continental Resources Inc	G3 Operating, LLC
completion.	Temporary spacing unit, Heath Formation, 12N-38E-34: all, 330' setback. Apply for permanent spacing within 90 days of	Vacate Order 18-1990 (4-90 FED). Temporary spacing unit, Bakken/Three Forks Formations, 30N-58E-2: all, 11: all, 200' heel/toe, 1320' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request.	Pool, permanent spacing unit, Bakken Formation, 29N-55E-10: all, 15: all (Beck 15-10#1-H). Non-joinder penalties requested.	Temporary spacing unit, Bakken/Three Forks Formations, 28N-55E-15: all, 22: all, 200' heel/toe, 1320' side setbacks. Apply for permanent spacing within 90 days of completion.	Temporary spacing unit, Bakken/Three Forks Formations, 27N-57E-5: all, 8: all, 200' heel/toe, 1320' side setbacks. Apply for permanent spacing within 90 days of completion. Default request.	Temporary spacing unit, Bakken/Three Forks Formations, 26N-57E-17: all, 20: all, 200' heel/toe, 1320' side setbacks. Apply for permanent spacing within 90 days of completion. Default request.	Temporary spacing unit, Bakken/Three Forks Formations, 26N-57E-5: all, 8: all, 200' heel/toe, 1320' side setbacks. Apply for permanent spacing within 90 days of completion. Default request.	Amend Board Order 47-2010 (TSU, 28N-59E-5, 8) to allow 200' heel/toe, 1320' side setbacks in temporary spacing unit, Bakken/Three Forks Formation. Apply for permanent spacing within 90 days of completion. Default request.	Amend Board Order 61-2010 (TSU, 28N-55E-14, 23) to allow 200' heel/toe, 1320' side setbacks in temporary spacing unit, Bakken/Three Forks Formation. Apply for permanent spacing within 90 days of completion. Default request.	Amend Board Order 277-2010 (TSU, 26N-59E-17, 18) to allow 200' heel/toe, 1320' side setbacks in temporary spacing unit, Bakken/Three Forks Formation. Apply for permanent spacing within 90 days of completion. Default request.	Amend Board Order 302-2010 (TSU, 26N-57E-15, 22) to allow 200' heel/toe, 1320' side setbacks in temporary spacing unit, Bakken/Three Forks Formation. Apply for permanent spacing within 90 days of completion. Default request.	Class II saltwater disposal permit, Dakota Formation, Wojahn A 5-2 (API #109-21041), 13N-60E-2: 2576' FNL/660' FWL (SW/4NW/4).	Temporary spacing unit, Bakken/Three Forks Formations, 23N-53E-12: all, 13: all, 200' heel/toe, 1320' lateral setbacks. Apply for permanent spacing within 90 days of completion.	Exception to drill additional well, Duperow Formation, permanent spacing unit, 24N-58E-13: S/2NW/4, N/2SW/4. Well to be located 1980' FSL/1980' FWL.
	Continued	Default	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Withdrawn	7'	Or .	ä
[CONTINUED TO JUNE.]	330' setback requested.	(Existing Bakken Formation spacing unit requested by Oryx in 1990)	?? Include Three Forks ?? Withdrawn, Itr dated 4/13/2012.	Withdrawn, Itr dated 4/13/2012.	Withdrawn, Itr dated 4/13/2012.	?? SPECIAL STATEWIDE ?? Withdrawn, Itr dated 4/13/2012.	[SHOULD BE WITHDRAWN - DOCKET 67-2012 APPROVED AT LAST HEARING] Withdrawn, Itr dated 4/13/2012	660' setbacks, Bakken in original order. Withdrawn, Itr dated 4/13/2012.	660' setbacks, Bakken in original order. Withdrawn, Itr dated 4/13/2012.	660' setbacks, Bakken in original order. Withdrawn, Itr dated 4/13/2012.	660' setbacks, Bakken in original order. Withdrawn, Itr dated 4/13/2012.		 Offsetting 660' setback to north - Burlington. Letter of support, Burlington. 	S/2 NW/4 and N/2 SW/4 designated a Duperow spacing unit by Order 72-1999.
	<												<	

	Withdrawn, Itr dated 4/13/2012.	Withdrawn	Temporary spacing unit, Bakken/Three Forks Formations, 27N-56E-15; all, 22: all, 200' heel/toe, 1320' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request.	bilgiram Oil & Gas LP	00-2012 D
	Withdrawn, Itr dated 4/13/2012.	Withdrawn	for st.	Brignam Oil & Gas LP	
	Withdrawn, Itr dated 4/13/2012.	Withdrawn		DIGHAM OIL & GAS LP	
	Withdrawn, Itr dated 4/13/2012.	Withdrawn	Temporary spacing unit, Bakken/Three Forks Formations, 26N-59E-5: all, 8: all, 200' heel/toe, 1320' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request.	Brigham Oil & Gas LP	47-2012
	Statewide + 200' toe/heel setback request.	Default	Temporary spacing unit, Bakken/Three Forks Formations, 24N-52E-34: all, 200' heel/toe, 660' lateral setbacks. Apply for permanent spacing within 90 days of completion.	Slawson Exploration Company Inc	
	PSU by Order 439-2011.	٠.	Pool, permanent spacing unit, Bakken/Three Forks Formation, 27N-58E-14: all, 23: all (Marilyn 2758 #42-11H), non-consent penalties requested.	Oasis Petroleum, Inc.	
	PSU by Order 30-2012.		Pool, permanent spacing unit, Bakken/Three Forks Formation, 29N-59E-29: all, 32: all (Copper 2959 #42-20H), non-consent penalties requested.	Oasis Petroleum, Inc.	
1		Default	Amend Order 92-2011 to allow 200' heel/toe and 1320' lateral setback in temporary spacing unit comprised of 27N-57E-15: all, 22: all, Bakken/Three Forks Formation. Apply for permanent spacing within 90 days of completion.	Oasis Petroleum, Inc.	
	Off-setting 660' setback to south - EOG.		Exception to drill up to three additional wells, Bakken/Three Forks Formation, permanent spacing unit, 26N-53E-22: all, 27: all, 200' heel/toe, 500' lateral setbacks. Default request.	XIO Energy Inc.	22 20 20 20 20 20 20 20 20 20 20 20 20 2
,7,	660/1320 in original order. DUPLICATED BY DOCKET 31-2012; withdrawn, FAX recd 4/24/2012.	Withdrawn	Amend Order 92-2011 to allow 200' heel/toe and 1320' lateral setback in temporary spacing unit comprised of 27N-57E-15: all, 22: all, Bakken/Three Forks Formation. Apply for permanent spacing within 90 days of completion. Default request.	Casis Petroleum, Inc.	301-201
1.	Continued to June, Itr dated 4/18/2012.	Continued	exception to drill and produce additional well, 33N-31E-21: NE/4 and exception to drill and produce a total of four wells (one in each quarter), multiple zones, temporary spacing unit, 33N-31E-21: all, 990' setback. Default request.		16-2012 F
4	?? AMENDED BY SPECIAL STATEWIDE ORDER ?? (See 509-2011, additional wells.) Withdrawn, ltr dated 4/13/2012.	Withdrawn		Decker Operating Company 1 1 C	552-2011
	(see 511-2011 - additional wells.) Withdrawn, Itr dated 4/13/2012.	Withdrawn	Amend Order 180-2010 to allow 200' heel/toe and 1320' lateral setback in temporary spacing unit comprised of 28N-57E-30: all, 31: all, Bakken/Three Forks Formation. Apply for permanent spacing within 90 days of completion. Default request.	Brishon Oil & Gas LP	508-2011
					U 000 0014

103-2012	102-2012	100-2012	99-2012	97-2012	92-2012	21-2012	01 2012	90-2012	89-2012	85-2012	54-2012	53-2012	51-2012
Continental Resources Inc	Continental Resources Inc	Continental Resources Inc	Continental Resources Inc	Continental Resources Inc	Shadwell Resources Group, LLC	Snadwell Resources Group, LLC	or Company	Sands Oil Company		True Oil II C		Brigham Oil &	
Amend Order 466-2005 and 164-2007 to allow 200' north/ south setback in permanent spacing unit comprised of 23N-54E-5: all and 24N-54E-32: all, Bakken/Three Forks Formation. Default request.	Amend Order 167-2007 to allow 200' north/south setback in permanent spacing unit comprised of 24N-53E-18: all, 19: all,	Amend Order 459-2005 and 163-2007 to allow 200' north/south setback in permanent spacing unit comprised of 23N-54E-4; all, 9: all, Bakken/Three Forks Formation. Default request	Amend Order 460-2005 and 164-2008 to allow 200' north/south setback in permanent spacing unit comprised of 23N-54E-3: all and 24N-54E-34: all, Bakken/Three Forks Formation. Default request.	Overlapping temporary spacing unit, Bakken/Three Forks Formations, 25N-54E-4: all, 5:all, 200' east/west, 500' north/south setbacks. Apply for permanent spacing within 90 days of completion. Default request.	Class II water disposal permit, Dakota Formation, Hillman 1-31 (API #083-21554), 24N-59E-31: 2130' FSL/ 1270' FWL (NE/4SW/4).	Class II water disposal permit, Dakota Formation, Velma 1-10H (API #083-22531), 23N-58E-10: 350' FNL/750' FWL (NW/4NW/4).	Exception to produce, Madison Formation, spacing unit will be 28N- Default 5W-20: SW/4 NE/4 (H&W Ranch 32-20). Default request.	unit, 1S & 2S-31E- 33E, 660' setback. Default request.	rermanent spacing unit, Ratcliffe/Mission Canyon Formations, 25N-58E-3: NW/4, 4: NE/4 (Delaney 14-4A).	Temporary spacing unit, Bakken/Three Forks Formations, 27N-56E-5: all, 8: all, 200' heel/toe, 1320' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request.	lemporary spacing unit, Bakken/Three Forks Formations, 27N-56E-3: all, 10: all, 200' heel/toe, 1320' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request.	Temporary spacing unit, Bakken/Three Forks Formations, 27N-56E-2: all, 11: all, 200' heel/toe, 1320' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request.	Temporary spacing unit, Bakken/Three Forks Formations, 27N-56E-1: all, 12: all, 200' heel/toe, 1320' lateral setbacks. Apply for permanent spacing within 90 days of completion. Default request.
				Protested	Default	Continued	Default	Withdrawn		Withdrawn	Withdrawn	Withdrawn	Withdrawn
Ltr of support, Petro-Hunt, Burlington. - Offsetting 660' setbacks; Burlington to north, Continental to south. Letter of support, Burlington.	- Offsetting 660' setbacks; Slawson to south,	 Offsetting 660' setback to north - Petro-Hunt. Ltr of support, Petro-Hunt. 	 Offsetting 660' setbacks; Petro-Hunt to north, Continental to south. Ltr of support, Petro-Hunt. 	?? Includes 640 with existing tri-lateral. [Originally docketed as 355-2011.] Gary Amestoy - protest.		Continue - Hudak, 4/23/2012.	Well (SW NE) located within designated temporary spacing unit of S2 NE for horizontal well.	Withdrawn, Itr dated 4/23/2012.	Currently Red River completion with 320-ac spacing unit as described; well too close to section line to be produced from shallower zones under statewide. Notice of protest - Alan Joscelyn representing Elroy Kittleson.	Withdrawn, Itr dated 4/13/2012.	Withdrawn, Itr dated 4/13/2012.	Withdrawn, Itr dated 4/13/2012.	Withdrawn, Itr dated 4/13/2012.
	<	<											

114-2012 (1	111-2012	110-2012	109-2012	108-2012	101	107-2012	106-2012	104-2012
Central Montana Resources, LLC	Central Montana Resources, LLC		Central Montana Resources, LLC	Continental Resources Inc	Continental Resources Inc	Continental Resources Inc	Continental Resources Inc	Commental Resources Inc	Continental Resources Inc		Continental Resources Inc
Pool, permanent spacing unit, Heath Formation, 13N-25E-1: Lots 1, 2, 3, 4, non-consent penalties requested (Firefoot 1B).	Permanent spacing unit, Heath Formation, 13N-25E-1: Lots 1, 2, 3, 4 (Firefoot 1B).	29E-8: all.	permanent spacing unit comprised of 25N-55E-22: all, 27: all, Bakken/Three Forks Formation. Default request.	setback in permanent spacing unit comprised of 25N-55E-18: all, 19: all, Bakken/Three Forks Formation. Default request.	permanent spacing unit comprised of 23N-55E-24: all, 25: all, Bakken/Three Forks Formation. Default request.	Amend Order 161-2007 to allow 200' north/south setback in	Amend Order 162-2007 to allow 200' north/south setback in permanent spacing unit comprised of 23N-55E-23: all, 26: all, Bakken/Three Forks Formation. Default request	Amend Order 281-2008 to allow 200' north/south setback for authorized well in overlapping temporary spacing unit comprised of 23N-55E-3: all, 4: all and 24N-55E-33: all, 34: all, Bakken/Three Forks Formation. Apply for permanent spacing within 90 days of completion. Default request.	Amend Order 165-2007 to allow 200' north/south setback in permanent spacing unit comprised of 24N-54E-30: all, 31: all, Bakken/Three Forks Formation. Default request.	setback in permanent spacing unit comprised of 24N-54E-18: all, 19: all, Bakken/Three Forks Formation. Default request.	Amend Order 163-2008 to allow 200' north/south setback in permanent spacing unit comprised of 24N-54E-17: all, 20: all, Bakken/Three Forks Formation. Default request.
Continued	Continued							of,			
Continued to August.	Continued to August.		 Offsetling 660' setbacks. Charger to south, Continental to north. Letter of support, Charger. 	 Offsetting 660' setbacks; Enerplus to south, Continental to north. 	Cinseuring ood setback to north; Continental.	Official Coopers	 Offsetting 660' setback to north; Continental. Letter of support, Burlington. 	Offsetting 660' setbacks; XTO, Enerplus, Continental.	 Offsetting 660' setbacks; Continental to north & south. 	 Offsetting 660' setbacks; Continental to north & south. 	 Offsetting 660' setbacks; Continental to north, Burlington to south. Letter of support, Burlington.
			<	<	<		<	•	<	<	